Washington Tracking Network (WTN)
www.doh.wa.gov/wtn

A complete list of all data on WTN's query tool

Washington State Department of
Health

Data listed in order of menu on query tool

https://fortress.wa.gov/doh/wtn/WTNPortal/

Climate and Health Section
⬇
Environment topic
⬇

- **Air Stagnation** ⟶ Number of Stagnant Air Days: state and census tract; (1973-2017)
- **Drought Prone Areas** ⟶ census tract; (1969-2012)
- **Flood Risk**
  - **100-Year Flood zones** ⟶ census tract
  - **Population in 100 Year Flood zones** ⟶ census tract and state; (2010-2015)
- **Natural Hazards** ⟶ Map of earthquake faults, 100-year flood zones, Tsunamis, Volcano Hazards, Wildfire Burn, lava flows
- **Snow Pack** ⟶ Watershed areas (WRIAs), (1979-2018)
- **Urban Heat**
  - **Paved Surfaces** ⟶ census tract; (2011)
- **Weather Extremes**

- o **Extreme Heat** ⟹ Extremely Hot Days - census tract; 2000 -2017
- o **Heavy Precipitation** ⟹ Heavy Precipitation Days (rain/snow/hail); 2000-2016
- **Wildfires** ⟹ Number of fires, number of acres burned and percent acre burned, state, county and census tract levels; (2000-2018)

Carbon Sources

- **Commute to Work**
  - o **People Driving Alone** ⟹ Percent of People Commuting Alone by Car, census tract; (2009-2013)
  - o **Time Spent Commuting alone** ⟹ census tract; (2009-2013)
- **Total Electricity Use**
  - o **Commercial Electricity Use** ⟹ Per capita electricity usage in WA state for commercial consumers, state and PUD; (2000-2013)
  - o **Industrial Electricity Use** ⟹ Per capita electricity usage in WA state for industrial consumers, state and PUD; (2000-2013)
  - o **Residential Electricity Use** ⟹ Per capita electricity usage in WA state for residential consumers, state and PUD; (2000-2013)

Community Section
⬇
Community Characteristic Topic
⬇

- **Economic Characteristics**
  - o **Children Living in Poverty** ⟹ Children Under 18 Living in Poverty, census tract and county; (2012-2016)
  - o **Population Living in Poverty** ⟹ Individuals Living Below Poverty Level, census tract and county; (2012-2016)
  - o **Population Living in Poverty <=125% of Federal Poverty Level** ⟹ census tract and county; (2012-2016)
  - o **Population Living in Poverty <=185% of Federal Poverty Level** ⟹ census tract; (2012-2016)
  - o **Transportation Expense** ⟹ census tract; (2014-2015)
  - o **Unaffordable Housing (>30% of Income)** ⟹ census tract; (2012-2016)

- o **Unaffordable Housing and Transportation** ➡ census tract; (2014-2015)
- o **Unemployed** ➡ Population Unemployed, census tract and county; (2012-2016)
- **Education**
  - o **No High School Diploma** ➡ No High School Diploma, census tract and county levels; (2012-2016)
  - o **Some College – No Degree** ➡ No College Degree (by age 25+), census tract and county levels; (2012-2016)
- **Emergency Preparedness and Response**
  - o **Emergency Operations Coordination** ➡ Capability Assessment for Emergency Operations Coordination, Local Health Jurisdiction (LHJ), (2016)
  - o **Information Sharing for EP&R** ➡ Capability Assessment for Information Sharing, Local Health Jurisdiction (LHJ), (2016)
  - o **In-home Power Dependent Equipment** ➡ Power dependent equipment, county and zip code; (2016)
  - o **In-Home Services Requiring Power** ➡ county and zip code levels; (2016)
  - o **Medical Countermeasures Dispensing** ➡ Capability Assessment for Medical countermeasures dispensing, Local Health Jurisdiction (LHJ); (2016)
  - o **Medical Surge** ➡ Capability Assessment for Medical Surge, Local Health Jurisdiction (LHJ); (2016)
  - o **Medicare Beneficiaries** ➡ zip code level; (2016)
  - o **Non-pharmaceutical Interventions** ➡ Capability Assessment for Non-pharmaceutical interventions, Local Health Jurisdictions (LHJ); (2016)
  - o **Public Health Surveillance + Epidemiological Investigations** ➡ Capability Assessment for Public Health Surveillance + Epidemiological Investigations, Local Health Jurisdictions (LHJ); (2016)
  - o **Public Information and Warning** ➡ Capability Assessment for public information and warning, Local Health Jurisdictions (LHJ); (2016)
- **Housing**
  - o **Housing with 10+ Units** ➡ Housing in Structures with 10+ Units, census tract and county; (2012-2016)
  - o **Mobile Homes** ➡ Total number and percentage, census tract and county; (2012-2016)
  - o **Overcrowded Housing** ➡ Housing with more than one person per room, census tract and county; (2012-2016)

- **Languages**
  - **Limited English** ⟹ Population age 5 or more speaking English less than very well, American Community Survey data, census tract and state; (2013-2017)
  - **Limited English Proficiency (LEP) –Counts** ⟹ Estimates of Counts from American Community Survey, state; (2013-2017)
  - **Limited English Proficiency (LEP) – Percentages** ⟹ Estimates of Percent from American Community Survey, state; (2017)
  - **OSPI – Student Population Data for LEP - Percentages** ⟹ Limited English Proficiency (LEP) percentages of students - state; (2017)
  - **OSPI – Student Population Data for LEP - Counts** ⟹ Limited English Proficiency (LEP) percentages of students – state and school district; (2017)
  - **ACS: Limited English Language Groups – LEP percentage** ⟹ Limited English proficiency: estimates of counts from the American Community Survey, census tract; (2013-2017)
  - **ACS: Limited English Language Groups – LEP counts** ⟹ Limited English proficiency: estimates of counts from the American Community Survey, census tract; (2013-2017)

- **Neighborhood Characteristics**
  - **Alcohol Outlet Density** ⟹ Number per 10,000 population, census tract; (2009-2013)
  - **Health Professional Shortage Areas** ⟹ census tract; (2015)
  - **Limited Access to Healthy Food** ⟹ census tract level; (2009)
  - **Low Voting Rate** ⟹ Percent voting zero times from 2012-2015; census tract; (2015)
  - **Park Access – Children** ⟹ census tract; (2015)
  - **Poor Land Use Mix** ⟹ The measure displays a score from zero to 100 with zero being only one land use type and 100 being an equal distribution of six land use types (education, entertainment, single-family residence, multi-family residence, retail, office; census tract, (2010)
  - **Unoccupied Housing** ⟹ census tract and county; (2011-2015)

Population Characteristics

⬇

- **Median Household Income**

- o **Median Household Income** ➡ state, county and census tract; (1989-2018; census tracts 2013-2017)

- **Population Characteristics**
  - o **Migrant Farm Labor** ➡ total number of migrant farm labor; county; (2012)
  - o **No Access to a Private Vehicle** ➡ Total number and percentage of households with limited or no access to a vehicle; census and county; (2012-2016)
  - o **People of Color (race/ethnicity)** ➡ census tract (2017)
  - o **Population** ➡ state, county, census tract, ACH (Accountable Communities of Health) and zip code levels, age groups, male/female; (2000-2018)
  - o **Population 18 to 65 with no Health Insurance** ➡ county and census tract; (2012-2016)
  - o **Population 65+ Living Alone** ➡ Total number and percentage living alone in no-family households, county and census tract levels; (2012-2016)
  - o **Population Under 5 Years Old** ➡ Percentage of the population five and under, census tract; (2012-2016)
  - o **Population With a Disability** ➡ Percentage and total number of the population with some form of disability (hearing, vision, cognitive, ambulatory, independent living and self-care difficulties), county and census tract levels; (2012-2016)
  - o **Race** ➡ county (2000-2018), census tract (2005-2018), state (2005-2018), and ACH (2004-2018)
  - o **Single Parent Household** ➡ Total number of households, the number of households with a single parent (male plus female) and percentage of households that are single-parent families with children under 18 years of age; census and county, (2012-2016)

- **Transportation**
  ⬇

Transportation Safety
  - o **All Crashes** ➡ Total crashes – rate per 100,000, census tract; (2009-2013)
  - o **All Crashes Involving Fatalities and Serious Injuries** ➡ All serious and fatal crashes, rate per 100,000, census tract; (2009-2013)
  - o **Crashes Involving Alcohol** ➡ Fatal and Serious crashes involving alcohol, rate per 100,000, census tract; (2009-2013)

- o **Crashes Involving a Pedestrian or Bicyclist** ➡ Fatal and serious crashes involving a pedestrian or bicyclist – rate per 100,000, census tract; (2009-2013)
- o **Crashes Involving Speeding** ➡ Fatal and serious crashes involving speeding – rate per 100,000, census tract; (2009-2013)
- o **Crashes Involving Young Drivers** ➡ Fatal and serious crashes involving young drivers (less than 25 years old) – rate per 100,000, census tract; (2009-2013)

Transportation to Work

- o **Bike or Walk to Work** ➡ census tract; (2012-2016)
- o **People Driving Alone** ➡ Percent of people community alone by car, census tract; (2012-2016)
- o **Limited Public Transit to Work** ➡ Percent not using public transit to work, census tract; (2009-2013)
- o **Public Transit to Work** ➡ Percent who take public transit to work, census tract; (2012-2016)

Environment Section
⬇
Air Quality Topic
⬇

Air Quality Feature Map Layers ➡ Ozone air monitor locations, PM2.5 air monitor locations, wildfire burn area, PM2.5 Pollution exposure zones from roadway traffic

Diesel Emissions

- o **NOx-Diesel Emissions (Annual Tons/Km2)** ➡ census tract; (2014)

Ground Level Ozone

- o **Ozone – Air Quality** ➡ county; (2000-2017)
- o **Ozone – Exposure** ➡ Exposed to poor ozone air quality – population times 1000, county; (2000-2017)

- **Ozone Air Quality Index (AQI)** ➡ county; (2000-2017)

Small Particulate Matter (PM2.5)

- **PM2.5 – Air Quality** ➡ County – both FRM and continous monitors and FRM monitors only, (2000-2016)
- **PM2.5 - Exposure** ➡ Exposed to poor PM2.5 air quality – population times 1000, county – both FRM and continous monitors and FRM monitors only, (2000-2016)
- **PM2.5 – Annual Average Air Quality** ➡ Average air quality concentrations for PM2.5, county; (2000-2016)
- **PM2.5 – Annual Exposure** ➡ Exposure to PM2.5, state; (2000-2016)

Wildfire Occurrences

- **Wildfires** ➡ Number of fires, number of acres burned and percent acre burned, state, county and census tract; (2000-2018)

Drinking Water

⬇

Arsenic

- **Arsenic Exposure** ➡ county and state; (1999-2017)
- **Arsenic Levels** ➡ county and state levels; (1999-2017)

Atrazine (Herbicide)

- **Atrazine Exposure** ➡ county and state levels; (1999-2017)
- **Atrazine Exposure by Quarter** ➡ state level; (1999-2017)
- **Atrazine Levels** ➡ county and state; (1999-2017)
- **Atrazine Levels by Quarter** ➡ state level; (1999-2017)

DEHP (In Plastics)

- **DEHP Exposure** ➡ county and state; (1999-2017)
- **DEHP Levels** ➡ county and state levels; (1999-2017)

Haloacetic Acides (HAA5)

- **HAA5 Levels** ➡ county and state; (1999-2017)
- **HAA5 Levels by Quarter** ➡ quarterly means, state; (1999-2017)
- **HAA5 Exposure** ➡ county and state; (1999-2017)
- **HAA5 Exposure by Quarter** ➡ state; (1999-2017)

Nitrates

- **Nitrate Exposure** ➡ county and state; (1999-2017)
- **Nitrate Exposure by Quarter** ➡ state; (1999-2017)
- **Nitrate Levels** ➡ county and state; (1999-2017)
- **Nitrate Levels by Quarter** ➡ state; (1999-2017)

PCE (Solvent)

- **PCE Exposure** ➡ Perchloroethylene (PCE) Exposure, county and state; (1999-2017)
- **PCE Levels** ➡ Perchloroethylene (PCE) levels, county and state; (1999-2017)

Public Water Systems

- **Public Community Water Systems** ➡ Population Served, county and state; (2000-2017)

Radium

- **Radium Exposure** ➡ Radium 224+226 Exposure, county and state; (2001-2017)
- **Radium Levels** ➡ Radium 224+226 levels, county and state; (2001-2017)

TCE (Solvent)

- **TCE Exposure** ➡ Trichloroethylene (TCE) Exposure, county and state; (1999-2017)
- **TCE Levels** ➡ Trichloroethylene (TCE) levels, county and state; (1999-2017)

Trihalomethanes (TTHM)

- **TTHM Levels** ➡ county and state; (1999-2017)
- **TTHM Levels by Quarter** ➡ quarterly means, state; (1999-2017)
- **TTHM Exposure** ➡ county and state; (1999-2017)
- **TTHM Exposure by Quarter** ➡ quarterly means, state; (1999-2017)

Uranium

- **Uranium Exposure** ➡ county and state; (1999-2017)
- **Uranium Levels** ➡ county and state; (1999-2017)

Environmental Justice

⬇

Environmental Effects

- **Proximity to Hazardous Waste Treatment Storage and Disposal Facilities (TSDFs)** ➡ census tracts; (2017)
- **Proximity to National Priorities List Facilities (Superfund Sites)** ➡ census tracts; (2016)
- **Proximity to Risk Management Plan (RMP) Facilities** ➡ census tracts; (2017)
- **Wastewater Discharge** ➡ census tracts; (2015)

Environmental Exposures

- **Ozone Concentration** ➡ census tracts; (2009-2011)
- **PM2.5 Concentration** ➡ census tracts; (2009-2011)
- **Toxic Release from Facilities (RSEI Model)** ➡ census tracts; (2012-2014)

Radon

⬇

Radon Test Results

- o **Radon Test Results** ➡ state, county and census tract; (1989-2018)
- o **Housing Tested for Radon** ➡ Number of tests, number total housing units and percentage of housing tested for radon, county and state; (2000-2018)

Smoking/Lung Cancer – Zip Code

- o **Smoking Prevalence** ➡ zip code; (2006-2010)
- o **Lung Cancer Rates** ➡ zip code, Lung cancer rates per 100,000; (2001-2010)

Traffic Air Pollution
⬇

Road Traffic Air Pollution

- o **Populations Near Heavy Traffic Roadways** ➡ census tract; 2017

Zoonotic Diseases
⬇

West Nile Virus (WNV)

- o **West Nile Virus in Birds** ➡ Bird samples tested for WNV, county and state; (2006-2018)
- o **West Nile Virus in Mammals** ➡ Mammal samples tested for WNV, county and state; (2006-2018)
- o **West Nile Virus in Mosquitos** ➡ Mosquito samples tested for WNV, county and state levels; (2006-2018)

Exposure Section
⬇
Biomonitoring Topic
⬇

The biomonitoring data can now be found on the [Health Data Visualization page](#)

The dashboards contain data on the following:

- Organic and Inorganic Arsenic
- Metals
- Pesticide Metabolites

Users of the dashboards can filter by: age, education, gender, income, and race/ethnicity. Some chemicals include additional filters as well. For example, arsenic includes a filter for diet and cadmium includes a filter for smoking/non-smoking.

Lead Risk and Exposure

Childhood Lead Exposure

- **Screening Rates for Children <72 Months (Annual Incidence)** ⟹ Screening Rates for Blood Lead Levels among Children <72 Months of Age; state, county and ACH; (2000-2018)
- **Test Results for Children <72 months old (Annual Incidence)** ⟹ Percentage of Blood Lead Tests with Results ≥5μg/dL Per Year for Children <72 Months of Age; state, and ACH; (2000-2018)

Childhood Lead Risk Map

A lead risk map based on housing and poverty, census tracts, (2012-2016)

Housing

- **Lead Risk from Housing** ⟹ census tract and county; (2012-2016)

Health Section
⬇
Body Mass Index

Body Mass Index (BMI)

- **BMI for Ages 20+** ⟹ census tract; (2014)

o **BMI for Ages 16-19** ➡️ census tract; (2014)

Cancer Incidence

All Cancers

o **All Cancer Incidence** ➡️ All Cancers Combined - Age-Adjusted Rate per 100,000, state, county, census tract and ACH; Male/Female; (2000-2016)

Brain and Nervous System

o **Brain and Other Nervous System** ➡️ Brain and Nervous System Cancer Incidence - Age-Adjusted Rate per 100,000; state, county and ACH; 3-year and 5-year roll-ups, male/female/all, (2000-2016)

Breast

o **Breast Cancer in Females** ➡️ Breast Cancer Incidence in Females - Age-Adjusted Rate per 100,000; state, county and ACH; single year, 3-year and 5-year roll-ups; (2000-2016)

Child Cancer

o **AML in Children** ➡️ AML Incidence in Children - Age Adjusted Rate per 100,000; state; ages <20 and <15, (2000-2016)
o **Brain and Other Nervous System Cancers in Children** ➡️ Brain & Other Nervous System Cancer Incidence in Children - Age Adjusted Rate per 100,000; state; ages <20 and <15, (2000-2016)
o **Leukemia in Children** ➡️ Leukemia Incidence in Children - Age Adjusted Rate per 100,000; state; ages <20 and <15, (2000-2016)
o **Lymphoid Leukemia in Children** ➡️ Lymphoid Leukemia Incidence in Children - Age Adjusted Rate per 100,000; state; ages <20 and <15, (2000-2016)

Digestive System

o **Esophagus Cancer** ➡️ Esophagus Cancer Incidence - Age-Adjusted Rate per 100,000; state, county and ACH; male/female/all; (2000-2016)
o **Liver and IBD Cancer** ➡️ Liver and Intrahepatic Bile Duct Cancer Incidence - Age-Adjusted Rate per 100,000; state, county and ACH; male/female/all; (2000-2016)

- **Oral Cavity and Pharynx Cancer** ⟶ Oral Cavity & Pharynx Cancer Incidence - Age-Adjusted Rate per 100,000; state, county and ACH; male/female/all; (2000-2016)
- **Pancreas Cancer** ⟶ Pancreas Cancer Incidence - Age-Adjusted Rate per 100,000; state, county and ACH; male/female/all; (2000-2016)

Leukemia and Lymphoma

- **Acute Myeloid Leukemia** ⟶ Acute Myeloid Leukemia Cancer Incidence - Age-Adjusted Rate per 100,000; state, county and ACH; male/female/all; (2000-2016)
- **Chronic Lymphocytic Leukemia** ⟶ Chronic Lymphocytic Leukemia Cancer Incidence - Age-Adjusted Rate per 100,000; state and county; male/female/all; (2000-2016)
- **Leukemia** ⟶ Leukemia Incidence - Age-Adjusted Rate per 100,000; state, county and ACH; male/female/all; (2000-2016)
- **Non-Hodgkins Lymphoma** ⟶ Non-Hodgkins Lymphoma Incidence - Age-Adjusted Rate per 100,000; state, county and ACH; male/female/all; (2000-2016)

Melanoma

- **Melanoma Cancer** ⟶ Melanoma Incidence - Age-Adjusted Rate per 100,000; state, county and ACH; male/female/all; (2000-2016)

Respiratory System

- **Larynx Cancer** ⟶ Larynx Cancer Incidence - Age-Adjusted Rate per 100,000; state, ACH and county; male/female/all; (2000-2016)
- **Lung and Bronchus Cancer** ⟶ Lung and Bronchus Cancer Incidence - Age-Adjusted Rate per 100,000; state, county, zip code and ACH; male/female/all; (2000-2016)
- **Mesothelioma Cancer** ⟶ Mesothelioma Cancer Incidence - Age-Adjusted Rate per 100,000; state; male/female/all; (2000-2016)

Thyroid

- **Thyroid Cancer** ⟶ Thyroid Cancer Incidence - Age-Adjusted Rate per 100,000; state; male/female/all; (2000-2016)

Urinary System

- **Bladder Cancer** → Bladder Cancer Incidence - Age-Adjusted Rate per 100,000; state, county, and ACH; male/female/all; (2000-2016)
- **Kidney and Renal Pelvis Cancer** → Kidney and Renal Pelvis Cancer Incidence - Age-Adjusted Rate per 100,000; state, county and ACH; male/female/all; (2000-2016)

HIV, STDs, TB

Sexually Transmitted Infections

- **Chlamydia** → Newly diagnosed cases: Rate per 100,000; state, county, ACH (2000-2018)
- **Gonorrhea** → Newly diagnosed cases: Rate per 100,000; state, county, ACH, (2000-2018)
- **Syphilis** → Newly diagnosed cases: Rate per 100,000; state, ACH, (2000-2018)

Tuberculosis

- **Tuberculosis by Age and Sex (2000-2018)** → Tuberculosis by Age and Sex, rates per 100,000; state, county and ACH; (2000-2018)
- **Tuberculosis by Race and Sex (2000-2018)** → Tuberculosis by Race and Sex, rates per 100,000; state, county and ACH; (2000-2018)
- **Tuberculosis by Sex (2000-2018)** → Tuberculosis by Sex, rates per 100,000; state, county and ACH; (2000-2018)
- **Tuberculosis by Age (2000-2018)** → Tuberculosis by Sex, rates per 100,000; county and ACH; (2000-2018)
- **Tuberculosis by Race (2000-2018)** → Tuberculosis by Sex, rates per 100,000; county and ACH; (2000-2018)
-

HIV Incidence

- **Age and Sex only** → HIV Incidence, rate per 100,000; state; (2010-2017)
- **Age and Race only** → HIV Incidence, rate per 100,000; state; (2010-2017)
- **Sex and Race only** → HIV Incidence, rate per 100,000; state; (2010-2017)
- **Sex and Place of Birth** → HIV Incidence, rate per 100,000; state; (2010-2017)
- **Race and Place of Birth** → HIV Incidence, rate per 100,000; state; (2010-2017)

- Age only ⟹ HIV Incidence by Age, rate per 100,000; ACH; (2010-2017)
- Race only ⟹ HIV Incidence by Race, rate per 100,000; ACH; (2010-2017)
- Sex only ⟹ HIV Incidence by Sex, rate per 100,000; ACH; (2010-2017)
- Overall Incidence ⟹ HIV Incidence, rate per 100,000; county; (2010-2017)

HIV Prevalence

- Age and Sex only ⟹ HIV prevalence by age and sex; rate per 100,000; state; (2010-2017)
- Age and Race only ⟹ HIV prevalence by age and race only, rate per 100,000; state; (2010-2017)
- Sex and Race only ⟹ HIV prevalence by sex and race only, rate per 100,000; state; (2010-2017)
- Sex and Place of Birth ⟹ HIV prevalence by sex and place of birth, rate per 100,000; state; (2010-2017)
- Race and Place of Birth ⟹ HIV prevalence by place of birth and race, rate per 100,000; State; (2010-2017)
- Age only ⟹ HIV prevalence by Age, rate per 100,000; ACH; (2010-2017)
- Race only ⟹ HIV prevalence by Race, rate per 100,000; ACH; (2010-2017)
- Sex only ⟹ HIV prevalence by Sex, rate per 100,000; ACH; (2010-2017)
- Overall Prevalence ⟹ HIV prevalence overall, rate per 100,000; county and ACH; (2010-2017)

HIV Late Diagnosis

- Age and Place of birth ⟹ HIV late diagnosis – percentage of new HIV cases that were diagnosed late in the course of their HIV illness. Place of birth and age; state; (2010-2017)
- Age and Sex only ⟹ HIV late diagnosis by age and sex; state; (2010-2017)
- Age and Race only ⟹ HIV late diagnosis by age and race only; state; (2010-2017)
- Sex and Race only ⟹ HIV late diagnosis by sex and race only; state; (2010-2017)
- Sex and Place of Birth ⟹ HIV late diagnosis by sex and place of birth; state; (2010-2017)
- Race and Place of Birth ⟹ HIV late diagnosis by place of birth and race; State; (2010-2017)
- Age only ⟹ HIV late diagnosis by Age, rate per 100,000; ACH; (2010-2017)
- Sex only ⟹ HIV late diagnosis by Sex, rate per 100,000; ACH; (2010-2017)

- Race only ➡ HIV late diagnosis, rate per 100,000; ACH; (2010-2017)
- Place of birth only ➡ HIV late diagnosis; ACH; (2010-2017)
- Late diagnosis overall ➡ HIV late diagnosis; county; (2010-2017)

HIV – Linkage to Care

- Race and Place of Birth ➡ HIV linkage to care by place of birth and race; State; (2010-2017)
- Age and Sex only ➡ HIV linkage to care by age and sex; state; (2010-2017)
- Age and Race only ➡ HIV linkage to care by age and race only; state; (2010-2017)
- Sex and Race only ➡ HIV linkage to care by sex and race only; state; (2010-2017)
- Sex and Place of Birth ➡ HIV linkage to care by sex and place of birth; state; (2010-2017)
- Age and Place of birth ➡ HIV linkage to care – percentage of new HIV cases that were diagnosed late in the course of their HIV illness. Place of birth and age; state; (2010-2017)
- Age only ➡ HIV linkage to care by Age, rate per 100,000; ACH; (2010-2017)
- Sex only ➡ HIV linkage to care by Sex, rate per 100,000; ACH; (2010-2017)
- Race only ➡ HIV linkage to care, rate per 100,000; ACH; (2010-2017)
- Place of birth only ➡ HIV linkage to care; ACH; (2010-2017)
- Linkage to care overall ➡ HIV linkage to care; county; (2010-2017)

HIV – Viral load suppression

- Age and Sex only ➡ HIV viral load suppression by age and sex; state; (2010-2017)
- Age and Race only ➡ HIV viral load suppression by age and race only; state; (2010-2017)
- Sex and Race only ➡ HIV viral load suppression by sex and race only; state; (2010-2017)
- Sex and Place of Birth ➡ HIV viral load suppression by sex and place of birth; state; (2010-2017)
- Race and Place of Birth ➡ HIV viral load suppression by place of birth and race; State; (2010-2017)
- Age and Place of birth ➡ HIV viral load suppression – percentage of new HIV cases that were diagnosed late in the course of their HIV illness. Place of birth and age; state; (2010-2017)

- Age only ➡ HIV viral load suppression by Age, rate per 100,000; ACH; (2010-2017)
- Sex only ➡ HIV viral load suppression by Sex, rate per 100,000; ACH; (2010-2017)
- Race only ➡ HIV viral load suppression, rate per 100,000; ACH; (2010-2017)
- Place of birth ➡ HIV viral load suppression; ACH; (2010-2017)
- Viral load suppression -all ➡ HIV viral load suppression; county; (2010-2017)

Hospitalizations

Asthma Hospitalizations

- **Asthma Hospitalizations** ➡ Asthma Hospitalizations: Age-Adjusted Rate per 10,000; state; age groups; male/female/all; (2000-2018)

CO Hospitalizations

- **Fire Related** ➡ Carbon Monoxide Poisoning Hospitalizations - Fire Related Age-Adjusted Rate per 1,000,000; state; (2000-2014)
- **Non-Fire Related** ➡ Carbon Monoxide Poisoning Hospitalizations – Non-Fire Related Age-Adjusted Rate per 1,000,000; state; (2000-2014)
- **Unknown Source** ➡ Carbon Monoxide Poisoning Hospitalizations - Unknown Source Age-Adjusted Rate per 1,000,000; state; (2000-2014)

COPD Hospitalizations

- **COPD** ➡ Hospitalizations due to COPD age adjusted specified age range per 10,000; state (2018)

Diabetes Hospitalizations

- **Diabetes-Related Hospitalization** ➡ Diabetes-Related Hospitalizations - Age-Adjusted Rate per 100,000; state, county and ACH; male/female/all, 50+ and <50; (2000-2018)

Heart Attack -Hospitalizations

- **Heart Attack Hospitalization** ➡ Heart Attack Hospitalizations - Age-Adjusted Rate per 10,000; state, county; male/female/all, age groups; (2000-2018)

Heat Stress

- o **Heat Stress Hospitalization** ➡ Heat Stress Hospitalizations - Age-Adjusted Rate per 1,000,000; state; (2000-2018)

Non-Fatal Injuries

- o **Bites or Stings** ➡ Bites or Stings (non-fatal) Hospitalizations - Age-Adjusted Rate per 100,000; state and county; male/female/all; (2000-2014)
- o **Cut or Pierced** ➡ Cut or Pierced (non-fatal) Hospitalizations - Age-Adjusted Rate per 100,000; state and county; male/female/all; (2000-2018)
- o **Drowning** ➡ Drowning (non-fatal) Hospitalizations - Age-Adjusted Rate per 1,000,000; state; un-intentional and self-inflicted; male/female/all; (2000-2018)
- o **Falls –Non-fatal** ➡ Falls (non-fatal) Hospitalizations - Age-Adjusted Rate per 10,000; state, county and ACH; unintentional, self-inflicted, assault; male/female/all; (2000-2018)
- o **Fires or Burns -Non-fatal** ➡ Fire or burns (non-fatal) Hospitalizations - Age-Adjusted Rate per 1,000,000; state; unintentional, self-inflicted, assault; (2000-2014)
- o **Fire Arms -Non-fatal** ➡ Fire Arms (non-fatal) Hospitalizations - Age-Adjusted Rate per 100,000; state and county; unintentional, self-inflicted, assault; male/female/all; (2000-2018)
- o **Motor Vehicle Traffic -Non-fatal** ➡ Motor Vehicle (non-fatal) Hospitalizations - Age-Adjusted Rate per 100,000; state and county; male/female/all; (2000-2018)
- o **Overexertion - Non-fatal** ➡ Overexertion (non-fatal) Hospitalizations - Age-Adjusted Rate per 100,000; state and county; male/female/all; (2000-2014)
- o **Poisoning -Non-fatal** ➡ Poisoning (non-fatal) Hospitalizations - Age-Adjusted Rate per 100,000; state, county; unintentional, self-inflicted; male/female/all; (2000-2014)
- o **Struck by or against-Non-fatal** ➡ Struck by or against (non-fatal) Hospitalizations - Age-Adjusted Rate per 100,000; state and county; unintentional, assault; male/female/all; (2000-2018)
- o **Suffocation-Non-fatal** ➡ Suffocation (non-fatal) Hospitalizations - Age-Adjusted Rate per 1,000,000; state and county; unintentional, self-inflicted, assault, (2000-2014)
- o **Unintentional Falls (65+ or older)** ➡ Hospitalizations - Age-Adjusted Rate per 100,000; state, county and ACH; unintentional, (2000-2018)

Parkinson's Hospitalizations

- Parkinson's Related Hospitalization ⟹ Parkinson's Related Hospitalizations - Age-Adjusted Rate per 100,000; state, county and ACH; male/female/all; (2000-2018)

Local Public Health Indicators (LPHI)

Access to Care

- **Mammography (2004-2010)** ⟹ Percent of women who reported having had a mammogram in the past 2 years, state and county; (2004-2010)
- **Mammography (2011-Present)** ⟹ Percent of women who reported having had a mammogram in the past 2 years, state and county; (2011-2016)
- **Personal Health Care Provider (2004-2010)** ⟹ Percent of adults who reported having a personal health care provider (2004-2010); state and county; (2004-2010)
- **Personal Health Care Provider (2011-present)** Percent of adults who reported having a personal health care provider, state and county; (2011-2016)
- **Screening for Colorectal Cancer (2004-2010)** ⟹ Percent of adults who meet the CDC guideline for Colorectal Cancer screening, state and county; (2004-2010)
- **Screening for Colorectal Cancer (2011-present)** ⟹ Percent of adults who meet the CDC guideline for Colorectal Cancer screening, state and county; (2011-2016)
- **Unmet Medical Needs (2004-2010)** ⟹ Percent of adults who reported being unable to obtain medical services due to costs (2004-2010), state and county; (2004-2010)
- **Unmet Medical Needs (2011-present)** ⟹ Percent of adults who reported being unable to obtain medical services due to costs (2004-2010), state and county; (2011-2016)

Communicable Disease

- **Flu Shot (2011-present)** ⟹ Percent of adults who had a flu shot; state and county; (2011-2016)
- **Flu Shot (2004-2010)** ⟹ Percent of adults who had a flu shot; state and county; (2004-2010)
- **Reported Chlamydia Infections** ⟹ diagnosed and reported: age-adjusted rate per 100,000; state, county (2000-2016)
- **Treated Chlamydia Infections** ⟹ cases treated and reported; women age 15-24; state, county (2000-2016)

Maternal and Child Health

- **Childhood Injuries (ages 0-17)** ⟹ Unintentional injury Hospitalizations: Rate per 100,000 for children ages 0-17, state and county; (2000-2014)
- **First Trimester Prenatal Care** ⟹ Percent of women giving birth who received prenatal care starting in the first trimester of pregnancy (NCHS measure), state and county; (2003-2016)
- **Low Birth Weight** ⟹ Percent of live born singleton full term births with birth weight less than 2500 grams; state and county; age groups, (2000-2016)
- **Maternal Smoking** ⟹ Percent of women giving birth who smoked any time during pregnancy or in the 3 months before pregnancy, state and county; (2003-2016)
- **Teen Alcohol Use** ⟹ Percent of 10th graders who report alcohol consumption in the past 30 days, state and county; (2002-2016)
- **Teen Cigarette Smoking** ⟹ Percent of 10th graders who report smoking cigarettes in the last 30 days, state and county; (2002-2016)
- **Teen Overweight** ⟹ Percent of 10th Graders who are overweight, state and county; (2002-2016)
- **Teen Physical Activity** ⟹ Percent of 10th graders who report physical activity 60 minutes a day, 5 or more days a week, state and county; (2002-2016)
- **Teen Pregnancy** ⟹ Pregnancies - Age-Adjusted Rate per 1,000 women age 15-17, state and county; (2000-2016)
- **Teen Sad and Hopeless** ⟹ Percent of 10th graders who report feeling sad or hopeless almost every day for two weeks or more in a row, during the past 12 months, state and county; (2000-2016)

Prevention and Health Promotion

- **Adults with BMI of >=30 (2004-2010)** ⟹ Percent of adults who have a Body Mass Index of 30 or greater (2004-2010), state and county
- **Adults with BMI of >=30 (2011-Present)** ⟹ Percent of adults who have a Body Mass Index of 30 or greater; state and county; (2011-2016)
- **Binge Drinking (2004-2010)** ⟹ Percent of adults who report binge drinking on at least one day in the past 30 days, state and county; (2004-2010)
- **Binge Drinking (2011-present)** ⟹ Percent of adults who report binge drinking on at least one day in the past 30 days, state and county; (2011-2016)
- **Diabetes (2004-2010)** ⟹ Percent of adults who report being told they have diabetes (2004-2010), state and county

- **Diabetes (2011-present)** ➡ Percent of adults who report being told they have diabetes (2011-2016), state and county
- **Hospitalizations for Falls ages 60+** ➡ Falls age 65+: Age-Adjusted-Specified Age Range Rate per 100,000, county and state; male/female/all, (2000-2014)
- **Poor Mental Health (2004-2010)** ➡ Percent of adults who reported poor mental health during the past 30 days , state and county; (2004-2010)
- **Poor Mental Health (2011-Present)** ➡ Percent of adults who reported poor mental health during the past 30 days , state and county; (2011-2016)
- **Smoking (2004-2010)** ➡ Percent of adults who reported current smoking (2004-2010), state and county
- **Smoking (2011-Present)** ➡ Percent of adults who reported current smoking (2011-2016), state and county
- **Years of Healthy Life Expectancy (2004-2010)** ➡ Years of Healthy Life Expectancy at age 20; state and county; (2004-2010)
- **Years of Healthy Life Expectancy (2011-Present)** ➡ Years of Healthy Life Expectancy at age 20; state and county; (2011-2016)

Mortality

Cardiovascular Disease Mortality

- **Death from Cardiovascular Disease** ➡ Cardiovascular Disease Mortality - Age Adjusted rate per 100,000, state, county, ACH and census tract; male/female/all; (2000-2017)

All Cause Mortality

- **All Cause Mortality** ➡ All-Cause Mortality - Age Adjusted Rate per 100,000; state, county, ACH and census tract; male/female/all; (2000-2017)

Cancer Deaths

- **Cancer Deaths - All** ➡ All cancers combined (deaths) - Age Adjusted Rate per 100,000; state, county, ACH and census tract; male/female/all; (2000-2017)
- **Lung and Bronchus Cancer** ➡ Lung and Bronchus cancers (deaths) - Age Adjusted Rate per 100,000; state, county, ACH and census tract; male/female/all; (2000-2017)

Carbon Monoxide (CO) Deaths

- **CO Deaths – Fire Related** ⟹ Carbon Monoxide Poisoning (Deaths -Fire Related) Age-Adjusted Rate per 100,000; state; (2000-2017)
- **CO Deaths – Non-Fire Related** ⟹ Carbon Monoxide Poisoning (Deaths –Non Fire Related) Age-Adjusted Rate per 100,000; state; (2000-2017)
- **CO Deaths – Unknown Source** ⟹ Carbon Monoxide Poisoning (Deaths – Unknown Source) Age-Adjusted Rate per 100,000; state; (2000-2017)

Diabetes Related Mortality

- **Diabetes Related Mortality** ⟹ Diabetes Related Mortality -Age-Adjusted Rate per 100,000; state; (2000-2017)

Fatal Injury

- **Bites or Stings (fatal)** ⟹ Bites or Stings (deaths) Age-Adjusted Rates per 100,000), state; (2000-2017)
- **Cut or Pierced (fatal)** ⟹ Cut or Pierced (deaths) Age-Adjusted Rates per 100,000), state; (2000-2017)
- **Drowning (fatal)** ⟹ Drowning (deaths) Age-Adjusted Rates per 100,000), state; (2000-2017)
- **Falls (fatal)** ⟹ Falls (deaths) Age-Adjusted Rates per 100,000), state and county; unintentional and self-inflicted, (2000-2017)
- **Fires or Burns (fatal)** ⟹ Fires or Burns (deaths) Age-Adjusted Rates per 100,000), state; assault and unintentional, (2000-2017)
- **Firearms (fatal)** ⟹ Firearms (deaths) Age-Adjusted Rates per 100,000), state; assault, unintentional, self-inflicted, (2000-2017)
- **Motor Vehicle Traffic (fatal)** ⟹ Motor Vehicle Traffic (deaths) Age-Adjusted Rates per 100,000), state and county; (2000-2017)
- **Poisoning (fatal)** ⟹ Poisoning (deaths) Age-Adjusted Rates per 100,000), state and county; unintentional, self-inflicted and assault, (2000-2017)
- **Struck by or Against (fatal)** ⟹ Struck by or against (deaths) Age-Adjusted Rates per 100,000), state; assault and unintentional, (2000-2017)
- **Suffocation (fatal)** ⟹ Suffocation (deaths) Age-Adjusted Rates per 100,000), state; unintentional, self-inflicted and assault, (2000-2017)
- **Unintentional Falls 65+** ⟹ Unintentional Falls (age 65 and older); Age-Adjusted Rates per 100,000), state, county and ACH; (2000-2017)

Heart Attack (Acute MI)

- o **Heart Attack** ➡ Death from Acute Myocardial Infarction; Age-Adjusted specified age range; state; (2000-2017)

Heat Stress Mortality

- o **Heat Stress** ➡ Heat Stress (deaths) Age-Adjusted Rates per 100,000), state; (2000-2017)

Leading Causes of Death

- o **Leading Causes of Death** ➡ Leading Causes of Death Age-Adjusted Rates per 100,000, state; (2000-2017)
- o **Percent of Leading Causes of Death** ➡ Percent of Leading Causes of Death by county; (2000-2017)

Life Expectancy

- o **Life Expectancy at Birth** ➡ Life Expectancy - state; male/female/all; (2000-2017)
- o **Lower Life Expectancy at Birth** ➡ Lower Life Expectancy at birth, census tract; (2012-2016)

Parkinson's Disease Mortality

- o **Parkinson's Related Mortality** ➡ Parkinson's Related Mortality - Age-Adjusted Rates per 100,000, state; male/female/all; (2000-2017)

Premature Mortality

- o **Premature Death** ➡ Premature Mortality (deaths prior to age 65) Age-adjusted Rates per 100,000, state, county, census tract and ACH; male/female/all; (2000-2017)

Suicide

- **Suicide by Mechanism** ➡ Suicide by Mechanism (Age Adjusted Rates per 100,000), firearm, poisoning, suffocation, other, all; state, county and ACH; male/female/all; (2000-2017)
- **Suicide by Mechanism Compared** ➡ Primary Means of Suicide (Age Adjusted Rates per 100,000), state; male/female/all; (2000-2017)

Pesticides

Pesticide Illness

- **All Cases of Illness** ➡ Pesticide Illness - All Cases of Illness - Rate per 100,000, state and county; age groups, (2010-2018)
- **Agricultural Pesticide Drift** ➡ Pesticide Illness – Agricultural drift only - Rate per 100,000, state and county; age groups, (2010-2018)
- **Agricultural Pesticide Drift: Cases and Events** ➡ Pesticide Illness – Agricultural drift –cases and events, state; (2010-2015)

Proximity to Cultivated Crops

- **Childcare centers within a quarter mile of cultivated crops** ➡ County; (2011)
- **Farmworker housing within a quarter mile of cultivated crops** ➡ County; (2011)
- **Schools within a quarter mile of cultivated crops** ➡ County; (2011)

Pesticide Event Summaries

- **Annual Agricultural Drift Events** ➡ Exposure to Agricultural Pesticide Drift- Event Summaries (.pdf files), state; (2010-2017)
- **Annual Event Summaries** ➡ Exposure to Pesticides- Event Summaries (.pdf files), state; (2010-2017)

Pregnancy and Birth Outcomes

Infant Mortality

- **Infant Mortality** ➡️ Infant Mortality (<1 year of age) Age-Adjusted Rate per 1000 Live Births, state and county; (2000-2017)
- **Neonatal Mortality** ➡️ Neonatal Mortality (<28 days old) Age-Adjusted Rate per 1000 Live Births, state, county and ACH; (2000-2017)
- **Perinatal Mortality** ➡️ Perinatal Mortality (28+ weeks gestation to <7 days of age) Age-Adjusted Rate per 1000 Live Births and Fetal Deaths, state, county and ACH; (2000-2017)
- **Postneonatal Mortality** ➡️ Post neonatal Mortality (28+ days to <1 year of age) Age-Adjusted Rate per 1000 Live Births, state, county and ACH; (2000-2017)

Low Birth Weight

- **Very Low Birthweight** ➡️ Very Low Birth Weight (<1500 grams) Singleton Births, state, county and ACH; (2000-2017)
- **Low Birthweight Combined** ➡️ Low Birth Weight (<2500 grams) Full Term Singleton Births; state, county, census tract and ACH; (2000-2017)

Maternal Smoking

- **Maternal Smoking** ➡️ Percent of women giving birth who smoked any time during pregnancy or in the 3 months before pregnancy, state, county, ACH and census tract; (2000-2017)

Pregnancy Outcomes

- **General Fertility** ➡️ General Fertility - Births per 1,000 women in age group; state, county, census tract and ACH; (2000-2017)
- **Induced Abortions** ➡️ Total Induced Abortions per Women (15-44); state, county and ACH; (2000-2017)
- **Pregnancies** ➡️ Total Pregnancies per 1000 Women (15-44), state, county and ACH; (2000-2017)

Prematurity

- **Very Preterm Births (<32 Weeks Singleton Births)** ➡️ Very Preterm (less than 32 weeks) Singleton Births, state; (2000-2017)
- **Preterm Births (<37 Weeks) Singleton Births** ➡️ Preterm (less than 37 weeks) Singleton Births, county and ACH; (2000-2017)

Prenatal Care

o **First Trimester Prenatal Care** ➡ Percent of women giving birth who received prenatal care starting in the first trimester of pregnancy (NCHS measure), state, county, census tract and ACH; (2003-2017)

Sex Ratio

o **Sex Ratio** ➡ Male/Female Sex Ratio at Birth (Term Singletons Only) statewide, state and county; (2000-2017 – state, 2012-2017 county)

Prescriptions and Drug Overdoses

Drug Overdoses – Non fatal hospitalizations

o **All Drugs Combined -** ➡ hospitalizations due to any drug overdose – age-adjusted rate per 100,000, state, county and ACH; (2000-2017)

o **Heroin -** ➡ hospitalizations due to heroin overdose – age-adjusted rate per 100,000, state, county and ACH; (2000-2017)

o **Opioids –** ➡ hospitalizations due to opioid overdose – age-adjusted rates per 100,000, state, county and ACH; (2000-2017)

o **Non-heroin Opioids –** ➡ hospitalizations due to non-heroin overdose – age-adjusted rates per 100,000, state, county and ACH; (2000-2017)

Drug Overdoses – Fatal

o **Psychostimulants** ➡ fatal overdoses due to psychostimulants, state, county and ACH; (2000-2017)

o **All Drugs Combined - Fatal** ➡ Drug Overdoses - all fatal drug overdoses combined, state, county and ACH; (2000-2017)

o **Heroin - Fatal Overdoses** ➡ Fatal Heroin Overdoses, state, county and ACH; (2000-2017)

o **ODs Compared - Fatal** ➡ Comparison of Fatal Drug Overdoses - Age Adjusted Rate per 100,000, state; (2000-2015)

o **Opioids – Fatal Overdoses** ➡ All Opioids - Prescription and Illicit - Fatal Overdoses, state, county and ACH; (2000-2017)

- Prescription Opioids – Fatal ⟹ Fatalities from Prescription Opioid Overdoses, state, county and ACH; (2000-2017)
- Synthetic Opioids – not methadone – Fatal ⟹ Fatal overdoses from synthetic opioids, not methadone –age adjusted rate per 100,000, state, county and ACH; (2000-2017)

Patients with Prescriptions

- **Patients with Any Opioid Prescription** ⟹ Age groups, state; By Quarter, (2012-2018)
- **Patients with Any Opioid Prescription – by Age Comparison** ⟹ state; by Quarter, (2012-2018)
- **Patients with Chronic Opioid Prescription** ⟹ state; by Quarter, (2012-2018)
- **Patients with High Dose Chronic Opioid Prescription** ⟹ By dose level, state; by Quarter, (2012-2018)
- **Patients with High Dose Chronic Opioid Prescription Compared** ⟹ Rate per 1,000, state; by Quarter, (2012-2018)
- **Patients with Concurrent Opioid and Sedative** ⟹ state; by Quarter, (2012-2018)
- **Patients with New Opioid Prescription by Days' Supply** ⟹ Days 0-1, 4-7, 8-13 and 14-59; state; by Quarter, (2012-2018)
- **Patients with New Opioid Prescription by Days' Supply Compared** ⟹ Days 0-1, 4-7, 8-13 and 14-59; state; by Quarter, (2012-2018)
- **Patients with New Chronic Opioid Prescriptions** ⟹ Days 0-1, 4-7, 8-13 and 14-59; by quarter, state, (2012-2018)